

L Number	Hits	Search Text	DB	Time stamp
1	0	("6078745" "49186935633998" "5913043" "5930482" "5938777" "5941971" "5958035" "5961625" "5963722" "5996034" "5996050" "6073194" "6154801" "6173243" "4488224" "4545016" "4912630" "5012470" "5251214" "5274507" "5341473" "5471411" "5471612" "5475628" "5488580" "5517600" "5594741" "5666299" "5724451" "5748634" "5933522" "5990914" "6053948" "6058253" "6141671" "6157975" "6252544" "6262976" "6304602" "6404815" "6429812" "6477587" "5900881" "5271453" "5694179" "5742755" "5903725" "5416916" "6173372").pn. and memory same (address location) same (bit byte) same error same read same write	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:39
2	16	("6078745" "49186935633998" "5913043" "5930482" "5938777" "5941971" "5958035" "5961625" "5963722" "5996034" "5996050" "6073194" "6154801" "6173243" "4488224" "4545016" "4912630" "5012470" "5251214" "5274507" "5341473" "5471411" "5471612" "5475628" "5488580" "5517600" "5594741" "5666299" "5724451" "5748634" "5933522" "5990914" "6053948" "6058253" "6141671" "6157975" "6252544" "6262976" "6304602" "6404815" "6429812" "6477587" "5900881" "5271453" "5694179" "5742755" "5903725" "5416916" "6173372").pn. and memory same (address location) same (bit byte) same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:43
4	2	("6078745" "49186935633998" "5913043" "5930482" "5938777" "5941971" "5958035" "5961625" "5963722" "5996034" "5996050" "6073194" "6154801" "6173243" "4488224" "4545016" "4912630" "5012470" "5251214" "5274507" "5341473" "5471411" "5471612" "5475628" "5488580" "5517600" "5594741" "5666299" "5724451" "5748634" "5933522" "5990914" "6053948" "6058253" "6141671" "6157975" "6252544" "6262976" "6304602" "6404815" "6429812" "6477587" "5900881" "5271453" "5694179" "5742755" "5903725" "5416916" "6173372").pn. and memory same read same write and (address location) with (bit byte) with error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:46

3	8	("6078745" "49186935633998" "5913043" "5930482" "5938777" "5941971" "5958035" "5961625" "5963722" "5996034" "5996050" "6073194" "6154801" "6173243" "4488224" "4545016" "4912630" "5012470" "5251214" "5274507" "5341473" "5471411" "5471612" "5475628" "5488580" "5517600" "5594741" "5666299" "5724451" "5748634" "5933522" "5990914" "6053948" "6058253" "6141671" "6157975" "6252544" "6262976" "6304602" "6404815" "6429812" "6477587" "5900881" "5271453" "5694179" "5742755" "5903725" "5416916" "6173372").pn. and memory same read same write and (address location) same (bit byte) same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:00
5	7	703/14 and memory same read same write and (address location) same (bit byte) same error and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:53
6	7	703/21 and memory same read same write and (address location) same (bit byte) same error and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:54
7	15	703/13 and memory same read same write and (address location) same (bit byte) same error and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:57
8	32	703/25 and memory same read same write and (address location) same (bit byte) same error and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:57
9	17	703/25 and (memory and error) with (address location) same (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:58
10	8	703/25 and (memory and error) near4 (address location) same (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 15:59
11	3	703/25 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:00

12	0	("6078745" "49186935633998" "5913043" "5930482" "5938777" "5941971" "5958035" "5961625" "5963722" "5996034" "5996050" "6073194" "6154801" "6173243" "4488224" "4545016" "4912630" "5012470" "5251214" "5274507" "5341473" "5471411" "5471612" "5475628" "5488580" "5517600" "5594741" "5666299" "5724451" "5748634" "5933522" "5990914" "6053948" "6058253" "6141671" "6157975" "6252544" "6262976" "6304602" "6404815" "6429812" "6477587" "5900881" "5271453" "5694179" "5742755" "5903725" "5416916" "6173372").pn. and (memory and error) near4 (address location) with (bit byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:00
13	4	703/23 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:00
14	6	703/24 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:03
15	1	703/21 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:04
16	1	703/14 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:04
17	0	703/13 and (memory and error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:05
18	5	703/\$ and (memory same error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:07
19	8	703/\$ and (memory same error) near4 (address location) same (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:06
20	8	714/25 and (memory same error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:10

21	29	714/805 and (memory same error) near4 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:11
22	13	714/805 and (memory same error) near2 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:14
23	7	714/805 and (memory same error) near (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:17
24	1	714/800 and (memory same error) near (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:18
25	1	714/799 and (memory same error) near (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:18
26	23	714/\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:20
27	14	714/\$ and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:20
28	0	714/\$ and (simulat\$ emulat\$) and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:21
29	0	703/\$ and (simulat\$ emulat\$ model\$) near4 memory and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:21
30	0	714/\$ and (simulat\$ emulat\$ model\$) near4 memory and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:22

31	0	716/4 and (simulat\$ emulat\$ model\$) near4 memory and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:22
32	0	716/\$ and (simulat\$ emulat\$ model\$) near4 memory and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:22
33	0	(simulat\$ emulat\$ model\$) near4 memory and error near3 generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:22
34	0	(simulat\$ emulat\$ model\$) near4 memory and error with generat\$ and (memory same error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:23
35	1	(simulat\$ emulat\$ model\$) near4 memory and error with generat\$ and (memory and error) near2 (address location) near2 (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:24
36	22	(simulat\$ emulat\$ model\$) near4 memory and error with generat\$ and (memory and error) near2 (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:26
37	44	(simulat\$ emulat\$ model\$) near4 memory and error same read same write same memory and (memory and error) with (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:27
38	9	703/\$ and (simulat\$ emulat\$ model\$) near4 memory and error same read same write same memory and (memory and error) with (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:30
40	4	703/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) with (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:43
41	4	703/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) with (address location) with bit and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:32

39	6	703/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and ((memory disk storage) and error) with (address location) with (bit byte) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:34
42	6	703/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and ((memory disk storage) and error) with (address location) with bit and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:41
43	2	5291584.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:37
44	7	714/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and ((memory disk storage) and error) with (address location) with bit and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:41
45	1	711/\$ and (simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and ((memory disk storage) and error) with (address location) with bit and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:42
46	0	(simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) with (address location) with bit near (first second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:48
47	0	(simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) with (address location) with bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:48
48	0	(simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) with (address location) same bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:48
49	0	(simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and read same write same ((memory disk storage) and error) same (address location) same bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:49

50	5	(simulat\$ emulat\$ model\$) near4 (memory disk storage) same error same read same write and ((memory disk storage) and error) same (address location) same bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 16:51
51	13	(simulat\$ emulat\$ model\$) near4 (memory disk storage) and error same read same write and ((memory disk storage) and error) same (address location) same bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 17:05
52	13	(simulat\$ emulat\$ model\$) near4 (memory disk storage) and error same read same write and ((memory disk storage) same error) same (address location) same bit near (first and second) and (@ad<19991105 @rlad<19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 17:18